

## **BUILDING FIRE SAFETY** I TRACKER







Short circuits in cables have led to fire accidents in buildings. The root causes of these fires can be typically attributed to overloading & overheating of cables.



3 October, Bhadohi, Uttar Pradesh

3 Children among 5 killed in massive fire at Durga Puja Pandal in Bhadohi

6 October. Agra, Uttar Pradesh



3 of a family killed after fire breaks out in Agra **building** 





1 October, Krishna nagar, Delhi

**Elderly Couple, Visiting** Son, Killed In Delhi House **Fire** 



Jaipur, Odisha	Fire Breaks Out At E-Vehicle Unit In Odisha's Jajpur	Suspected short circuit
Krishna Nagar, Delhi	Elderly Couple, Visiting Son, Killed In Delhi House Fire	Suspected short circuit
Hyderabad, Andhra Pradesh	Major fire breaks out in scrap shop in Hyderabad	Electrical short circuit
Poonch, Jammu & Kashmir	Bakery shop gutted in midnight blaze	Suspected short circuit
Bhadohi, Uttar Pradesh	3 Children among 5 killed in massive fire at Durga Puja Pandal in UP's Bhadohi	Electrical short circuit
Etawah, Uttar Pradesh	Ramlila Pandal Reduced to Ashes After Massive Fire in UP's Etawah	Not mentioned
Agra, Uttar Pradesh	3 of a family killed after fire breaks out in Agra building	Suspected short circuit
Satna, Madhya Pradesh	Traumatic accident in Satna, two innocent children including mother died due to fire in house	Suspected short circuit
Agra, Uttar Pradesh	Over 650 Coolers Destroyed As Blaze Engulfs Factory in Nangla Kaale; No Casualties Reported	Suspected short-circuit
Mumbai, Maharashtra	Massive fire breaks out in Vasai school, no injuries reported	Suspected short-circuit
Udupi, Karnataka	<u>Udupi: House gutted in fire due to short circuit</u>	Short circuit
Mhow, Madhya Pradesh	Mhow: Massive fire in shop	Suspected short circuit
Gurugram, Uttar Pradesh	Fire Rips Through Gurugram Furniture Factory	Suspected short circuit
Kanpur, Uttar Pradesh	Fire breaks out in office of Prayag Guest House in Kanpur	Suspected short circuit
Gorakhpur, Uttar Pradesh	Fire breaks out in showroom of electric scooter due to short circuit, heavy damage	Suspected short circuit
Amaravati, Andhra Pradesh	36 e-bikes gutted in motor showroom fire in Andhra Pradesh	Suspected short circuit
Bhubaneshwar, Odisha	Massive blaze at fitness centre in Bhubaneswar, no casualties	Suspected short circuit